



Surge Buster Two Year Warranty

Surge Busters must be registered to activate the two-year warranty. Failure to complete this form and provide it to Liquid Surge Control, LLC will **VOID** the warranty.

DATE _____

COMPANY _____

NAME _____

PHONE # _____ EMAIL _____

TRUCK DETAILS FOR SURGE BUSTER INSTALLATION

MAKE _____ MODEL _____

VIN NUMBER _____

TANK DETAILS TO DETERMINE SURGE BUSTERS REQUIRED

GALLON SIZE (CAPACITY) OF TANK _____	MAXIMUM WEIGHT PER GALLON OF LIQUIDS HAULED _____
# OF SURGE BUSTERS INSTALLED _____	_____

SURGE BUSTERS PURCHASED FROM _____

SIGNATURE _____

Email to info@liquidsurgecontrol.com

See the chart on the reverse side to confirm that you have the correct number of Surge Busters. IF you do not install the total number required, this Surge Buster purchase **WILL NOT** be warranted.

If you are not certain of the correct amount of Surge Busters that are needed, contact Gary Maurer at gary@liquidsurgecontrol.com or (877) 787-4360.

NOTE:

- Surge Busters should not be exposed to sunlight.
- If you haul something heavier than what is stated in this form, the warranty will automatically be voided. If you want to haul a heavier product, call for more information on how to adjust the amount of Surge Busters required.



Calculation Chart and Chemical Compatibility Reference Link

In the left hand column, determine the weight of the heaviest liquid you will be hauling. Move across the until you find your tank size. Divide the tank size into the total gallons capacity of the tank to determine the total Busters required based on the liquid weight/gallon being hauled. **Check the reference link below for (If the capacity is more than 100 gallons over the stated tank size, use the calculation for the next larger size.)**

SB815 Chart										
Tank Size	1000G	2000G	3000G	4000G	5000G	6000G	7000G	8000G	9000G	9000G
Liquids up to 8.34 lbs. per	32	32	32	32	32	31	30	29	28	*28
8.34 lbs. - 9 lbs. per gallon	31	31	31	30	30	29	29	28	*	*
9 lbs. - 10 lbs. per gallon	30	30	29	29	28	27	26	*25	*	*
10 lbs. - 11 lbs. per gallon	29	29	28	27	26	25	*24	*	*	*
11 lbs. - 12 lbs. per gallon	28	28	27	26	*24	*	*	*	*	*
12 lbs. call (866) 787-4360	*Call LSC to confirm the Number of Surge Busters Required									

FOR EXAMPLE: A 3300G tank is being used to transport water for water tending (8.34 lbs/gal) and then during the winter it is used to transport must calculate the quantity of Surge Busters with the heavier salt brine. $3300G \text{ tank} \div 26 = 126.923 = \mathbf{127 \text{ Surge Busters needed in total}}$

SB807 Chart										
Tank Size	100G	200G	300G	400G	500G	600G	700G	800G	900G	1000G
Less than 8.34 lbs. per gallon	4	8	11	15	18	22	25	29	32	36
8.34 lbs. - 10 lbs. per gallon	4	8	12	16	21	25	29	34	38	43
10 lbs.- 12 lbs. per gallon	5	10	15	20	25	30	35	40	45	50
SB804 Chart										
Tank Size	30G	50G	100G	150G	200G	300G	Liquid Surge Control, LLC (866) 787-4360 www.liquidsurgecontrol.c			
Less than 8.34 lbs. per gallon	3	5	10	16	22	34	om			
8.34 lbs. - 10 lbs. per gallon	4	7	12	18	25	38				
10 lbs. - 12 lbs. per gallon	5	11	14	22	30	44				

NOTE: Anytime you are mixing other liquids, chemicals, aggregates, salt solutions, etc. the resulting weight per gallon of the liquid must be the correct quantity of Surge Busters. **Failure to follow these requirements will cause the Surge Busters to fail and void the two-year**

Surge Buster Propylene Compatibility Chart - <https://www.calpacalab.com/polypropylene-chemical->